

eukula offers a wide range of oils and maintenance products for wood flooring for interior and now also for exterior application.

For interior application

**euku-öl 1 HS**

**euku-maintenance Oil**

**euku-öl 2 Plus HS**

**euku-refresher**

**euku-öl Color**

**euku-maintenance-emulsion**

**euku-öl 3 Plus weiß**

**euku-naturöl**

For exterior application

**euku-exterior Oil**

**euku-exterior Oil teak**

**euku-conditioner**

# eukula-Oil-Program

for wood flooring for interior  
and exterior application

# eukula-Oil-Program


Interior Application

Oil, hardwax oil, natural oil or oiling and sealing, all is available. eukula is offering the optimum solution for the highest requirements. eukula oils have given best results in renovation of high-sophisticated intarsia floors in the living, but also in the high traffic areas of department stores and restaurants.

The oils accentuate the wide variation of color and structure of different wood species and make the wood come alive and give a warm and beautiful sheen. They are minimizing side - bonding. Oiled floors can be repaired spotwise. The correct maintenance makes the surface even more beautiful and resistant.

# eukula-Oil-Program

Interior Application




## euku-öl 1 HS

### Features

A high solid oil for a natural and mat surface for highest requirement with a solid content of approx. 90%.

### Application

After oiling the properly sanded surface it has to be polished immediately with a beige or red pad.




## Oiling and Sealing

### Features

If you like the impression of an oiled floor, but easily to maintain like a sealed floor, the oil / water based combination is the right solution. It looks like oiled but is easy to maintain because it is sealed, also if the euku-öl 1 HS was tinted.

### Application

The euku-öl 1 HS is used as a primer also if it is tinted with euku-öl color and it will be coated the next day with a two-component Strato 461 satin or Strato 462 mat in the high traffic area or with the one-component Strato Domicile, also available in satin or mat for the living area.



## euku-öl Color

### Features

Color concentrate for tinting euku-oils and hardwax oils available in antic, silver metallic, teak, black, white, oak, green, yellow, red, blue, ocre-yellow and brown.

### Application

All euku-oils, the maintenance oil and the refresher can be tinted with max. 30% of euku-öl color. Color concentrates can be mixed among each other to reach the optimum color.




## euku-maintenance Oil

### Features

Strongly recommended for surfaces treated with euku-öl 1 HS in order to maintain the beauty of the mat sheen of the oiled floor.

### Application

Should be applied according to wear and tear.




## euku-maintenance emulsion

### Features

For regular maintenance of oiled floors.

### Application

Add to warm water, then wipe the surface with a damp cloth.




## euku-öl 2 Plus HS

### Features

A high solid hardwax oil based on natural oils gives the wood floor a satin sheen. Solid content: approx. 80%.

### Application

Oiling and waxing in one procedure on a properly sanded surface. It has to be padded immediately upon application.



## euku-öl 3 Plus weiß

### Features

The euku-öl 3 Plus white is a white tinted hardwax oil.

### Application

Oiling, waxing and white tinting in one procedure. Application like euku-öl 2 Plus HS.



## euku-refresher

### Features

The ideal maintenance for floors treated with hardwax oil.

### Application

Apply thin and evenly on the clean floor and let it penetrate. Polish afterwards.



## euku-naturöl

### Features

Natural oil with a solid content of approx. 97%. Accentuates the natural grain of the wood.

### Application

see euku-öl 1 HS

# eukula-Oil-Program

Exterior Application

**eukula®**

the best in wood floor protection

Our living area is going stepless from indoor to outdoor. Balconies and terraces are creating a harmony with the living area inside. UV rays and the weather is effecting even the tough exotic wood which becomes grey. eukula is offering a product range for exotic woods like ipe, teak, bangkirai, robiny and douglasy for refreshing and protecting.

## eukula GmbH

Am Bahnhof 6, Döggingen  
78199 Bräunlingen  
DEUTSCHLAND  
Telefon +49 77 07 / 151-206  
und +49 77 07 / 151-248  
Telefax +49 77 07 / 151-245  
eMail: [vertrieb@eukula.de](mailto:vertrieb@eukula.de)  
Internet: [www.eukula.de](http://www.eukula.de)




## euku-exterior Oil

### Features

Colorless impregnation for exotic woods in the exterior area based on vegetable oils without fungicides. High solid content and fast drying.

### Application

The wood should be prepared with the euku-conditioner and then coated with the euku-exterior Oil. Any surplus has to be taken off.



## euku-exterior Oil teak

### Features

Teak colored impregnation for exotic woods in the exterior area based on vegetable oils without fungicides.

### Application

See euku-exterior Oil colorless.



## euku-conditioner

### Features

euku-conditioner revives grey exotic wood. The ideal preparation for euku-exterior Oils.

### Application

Apply on grey exotic wood and leave the surface for 15 to 30 min., then rinse with water. After drying the wood is ready for the application of the euku-exterior Oils.



The difference between treated and untreated balconies and decking boards is visible.



## euku-terrace Brush

### Features

Especially designed for the treatment of balconies and decking boards - takes off the surplus.

Please contact your authorized eukula specialist for further information.

Detailed information can be found in our technical data sheets. Pack sizes are available according to the price list. Our technical data sheets provide you with our up-to-date information. However, we advise you to make your own test, while each application and situation might differ. The sale of our products are according to our general conditions of Sale and Supply.